

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”


IS 3025 (Part 20) (1984, Reaffirmed 2002): Method of Sampling and Test (Physical and Chemical) for Water and Wastewater, Part 20: Dispersion Characteristics (Flow Patterns) (First Revision). ICS 13.060.50



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

Indian Standard

METHODS OF SAMPLING AND TEST (PHYSICAL AND
CHEMICAL) FOR WATER AND WASTE WATER

PART 20 DISPERSION CHARACTERISTICS (FLOW PATTERNS)

(First Revision)

1. Scope — Prescribes dye dispersion method for determination of dispersion characteristics of a water body.

2. Principle — Dispersion characteristics of a water body are determined using the organic pigment rhodamine-B.

3. Apparatus — Fluorometer.

4. Reagents

4.1 Sodium Chloride — saturated solution.

4.2 Dye — Rhodamine-B dissolved in methanol in the proportion 1 : 5 resulting in a solution of density 0.8 g/ml approximately.

5. Procedure

5.1 Increase the density of rhodamine-B solution, by adding saturated sodium chloride solution, to the value of the density of the water body. Inject this solution into the water body.

5.2 At regular intervals, draw a sample from the centre of the patch ($r = 0$) and determine the concentration of rhodamine-B using a fluorometer, which measures the fluorescence of the dye present in the sample. Hence obtain the concentration of the dye.

5.3 Precautions — The following should be noted before the results are interpreted:

- Fluorescence of rhodamine-B decreases by about 2 percent per °C increase in temperature;
- Effect of the chlorinity of water is insignificant;
- The dye is heavily adsorbed by organic suspended matter and this adsorption decreases with increasing chlorinity;
- In bright sunlight the fluorescence decreases by about 2 percent per hour and by about 0.5 percent per hour in cloudy conditions;
- It may be noted that the position of the centre of the patch of the dye is an indicator of the movement of the water body; and
- The dispersion can also be measured directly by using an *in-situ* fluorometer, which is commercially available.

6. Calculation — Calculate the diffusion parameter using the following equation :

$$C(r, t) = \frac{M e^{-r/t}}{2\pi (pt)^2}$$

where

M = mass of rhodamine-B injected into a layer of unit thickness in g/cm,

r = distance from the centre of the patch (point of maximum concentration) in cm,

t = time in s,

p = diffusion parameter in cm/s, and

C = concentration of rhodamine-B dye in g/cm.

Adopted 29 February 1984

© July 1985, BIS

Gr 1